





## A.P. Green, Harbison-Walker and NARCO

Page 1/7

Reviewed on 07/25/2002

Printing date 10/01/2003

## 1 Identification of substance

· Product details

· Trade name: GREENPATCH 421

· Manufacturer/Supplier: ANH Refractories Company 400 Fairway Drive Moon Township, PA 15108

General Phone: (412)375-6600

· Information department: MSDS Technical Information: (412)375-6837

· Emergency information: CHEMTREC 24 HOUR EMERGENCY PHONE NUMBER: 1-800-424-9300.

## 2 Composition/Data on components

· Chemical characterization

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Component:	s:	
1344-28-1	non-fibrous alumina	20-30%
6834-92-0	sodium silicate	20-30%
1302-76-7	alumina silicate (kyanite)	10-20%
	crystalline silica (quartz)	10-20%
	hydrous alumina silicate	5-10%
1302-93-8	alumina silicate	5-10%
7631-86-9	silicon dioxide, chemically prepared	2.5-5%
14464-46-1	crystalline silica (cristobalite)	1-2.5%
	organic fibers	0.1-0.5%

## 3 Hazards identification

· Hazard description:

Toxic

· Medical conditions aggravated by exposure to the product: Asthma, chronic lung disease, and skin irritation.

· Carcinogenicity Information:

Crystalline silica is listed by IARC as a Group 1 Carcinogen "sufficient evidence of carcinogenicity in humans", and is listed by NTP as K, "Known To Be A Human Carcinogen".

· Information pertaining to particular dangers for man and environment:

May cause cancer by inhalation.

Irritating to eyes, respiratory system and skin.

Danger of serious damage to health by prolonged exposure.

PRODUCT CONTAINS CRYSTALLINE SILICA, "a chemical known to the State of California to cause cancer." Prolonged or repeated inhalation of dust from products containing crystalline silica can cause silicosis or cancer.

(Contd. on page 2)







#### A.P. Green, Harbison-Walker and NARCO

*Page 2/7* 

Printing date 10/01/2003

Reviewed on 07/25/2002

(Contd. from page 1)

Trade name: GREENPATCH 421

· NFPA ratings (scale 0-4)



Health = 1Fire = 0

Reactivity = 0

· HMIS Classification

HEALTH \*1
FIRE 0
REACTIVITY 0

Health: \*1 Flammability: 0 Reactivity: 0

## 4 First aid measures

- · After inhalation: Move to fresh air; consult doctor if needed.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Flush eyes with water for 15 minutes. If irritation persists, consult a doctor.
- · After swallowing:

This product is intended for industrial applications; in the unlikely event that this product is swallowed, consult a physician if any adverse medical conditions occur.

# 5 Fire fighting measures

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

## 7 Handling and storage

- · Handling:
- Information for safe handling:

Ensure good ventilation/exhaust at the workplace.

Prevent formation of dust.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store product inside, out of extreme weather conditions.

(Contd. on page 3)







#### A.P. Green, Harbison-Walker and NARCO

*Page 3/7* 

Printing date 10/01/2003

Reviewed on 07/25/2002

Trade name: GREENPATCH 421

(Contd. from page 2)

- · Storage class:
- · Class according to regulation on flammable liquids: Not applicable

## 8 Exposure controls and personal protection

### · Components with limit values that require monitoring at the workplace:

## 1344-28-1 non-fibrous alumina

PEL 15\*;5\*\* mg/m³

\*Total dust \*\*Respirable fraction

 $TLV = 10 \text{ mg/m}^3$ 

(6)

### 14808-60-7 crystalline silica (quartz)

REL  $0.05* mg/m^3$ 

\*Respirable dust

 $TLV = 0.05 R \text{ mg/m}^3$ 

## 1332-58-7 hydrous alumina silicate

 $PEL \ 15*; 5** mg/m^3$ 

\*Total dust \*\*Respirable fraction

REL 10\*; 5\*\* mg/m<sup>3</sup>

\*Total dust \*\*Respirable fraction

 $TLV \mid 2 \mid R \mid mg/m^3$ 

(e)

#### 14464-46-1 crystalline silica (cristobalite)

REL  $0.05* mg/m^{3}$ 

\*Respirable dust

 $TLV = 0.05 R \text{ mg/m}^3$ 

#### · Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:



NIOSH approved respirators should be used if dust is present. A respiratory protection program should be implemented if exposures exceed OSHA PELs.

### Protection of hands:



Protective gloves recommended

(Contd. on page 4)







## A.P. Green, Harbison-Walker and NARCO

*Page 4/7* 

Printing date 10/01/2003 Reviewed on 07/25/2002

Trade name: GREENPATCH 421

(Contd. from page 3)

· Eye protection: Safety glasses with side shields recommended

## 9 Physical and chemical properties

· Form: Solid

· Color: According to product specification

· Odor: No specific odor.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Auto igniting: Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined.

· Solubility in / Miscibility with

Water: Insoluble.

## 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous products of decomposition:

Refractories containing crystalline silica may, after service, contain more or less crystalline silica. Care must be taken to avoid and/or control dust from demolition. If in doubt of the proper protection, seek advice from a safety professional.

## 11 Toxicological information

- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

6834-92-0 sodium silicate

Oral LD50 1280 mg/kg (rat)

7631-86-9 silicon dioxide, chemically prepared

Oral LD50 10000 mg/kg (rat)

- Primary acute effects:
- · Skin contact: Irritant to skin and mucous membranes.
- · Eye contact: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant.

(Contd. on page 5)







#### A.P. Green, Harbison-Walker and NARCO

Page 5/7

Printing date 10/01/2003 Reviewed on 07/25/2002

Trade name: GREENPATCH 421

(Contd. from page 4)

Carcinogenic if inhaled.

## 12 Ecological information

· General notes: At present there are no ecotoxicological assessments.

## 13 Disposal considerations

· Recommendation for Disposal of Product:

As sold, this product is not RCRA hazardous. Final used condition must be evaluated prior to disposal. Dispose of waste product in accordance with Federal, State and Local regulations.

Dust created during demolition of used product may contain crystalline silica.

· Recommendation for Disposal of Uncleaned Packaging: Reuse, recycle or treat as industrial waste.

## 14 Transport information

· Transport/Additional information: Not dangerous according to available information.

### 15 Regulations

## · SARA 313 TOXIC CHEMICALS

No material listed in the components in Section 2 of this MSDS is on the SARA 313 list.

## · SARA 302 EXTREMELY HAZARDOUS SUBSTANCES

No material listed in the components in Section 2 of this MSDS is on the SARA 302 list.

## TSCA (Toxic Substances Control Act)

This substance or all the ingredients of this product are on the Chemical Substances Inventory of the Toxic Substances Control Act (TSCA Inventory). The presence on this list does not require any legal reporting.

#### · WHMIS Classification

Class D - Division 2 - Sub Division A

Untested mixture containing a very toxic material

Class D - Division 2 - Sub Division B

Untested mixture containing a toxic material

Class E - Untested mixture containing corrosive material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## · Cancerogenity categories

	· IARC (International Agency for Research on Cancer)							
	14808-60-7	crystalline silica (quartz)	1					
I	14464-46-1	crystalline silica (cristobalite)	1					
ı	13463-67-7	titanium dioxide	3					
Ī	1309-37-1	iron oxide	3					

(Contd. on page 6)







## A.P. Green, Harbison-Walker and NARCO

*Page 6/7* 

Reviewed on 07/25/2002

Printing date 10/01/2003

Trade name: GREENPATCH 421

NTP (National Toxicology Program)  14808-60-7 crystalline silica (quartz) R						
14464-46-1 crystalline silica (cristobalite) R						
· TLV (Threshold Limit Value established by ACGIH)						
1344-28-1 non-fibrous alumina A4						
14808-60-7 crystalline silica (quartz) A2						
1332-58-7 hydrous alumina silicate   A4						
13463-67-7 titanium dioxide A4						
1309-37-1 iron oxide A4						
· MAK (German Maximum Workplace Concentration)						
1344-28-1 non-fibrous alumina 2						
14808-60-7 crystalline silica (quartz) 1						
14464-46-1 crystalline silica (cristobalite) 1						
· NIOSH-Ca (National Institute for Occupational Safety and Health)						
14808-60-7 crystalline silica (quartz)						
14464-46-1 crystalline silica (cristobalite)	crystalline silica (cristobalite)					
13463-67-7 titanium dioxide	titanium dioxide					

### · Classification according to EU-guidelines

## · Hazard symbols:

**Toxic** 

## · Hazard-determining components of labeling:

crystalline silica (quartz) crystalline silica (cristobalite)

#### · Risk phrases:

May cause cancer by inhalation.

Irritating to eyes, respiratory system and skin.

Danger of serious damage to health by prolonged exposure.

## Safety phrases:

When using do not eat or drink.

Do not breathe dust.

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of soap and water

Wear suitable protective clothing and gloves.

In case of accident or if you feel unwell, seek medical advice immediately.

## · Special labeling of certain preparations:

PRODUCT CONTAINS CRYSTALLINE SILICA, "a chemical known to the State of California to cause cancer." Prolonged or repeated inhalation of dust from products containing crystalline silica can cause silicosis or cancer.

### · National regulations:

· The followi	ng ing	gredients	are	known i	in the state o	f California to	o be a cancer	risk (	Proposition 65)	:
	_									

14808-60-7 crystalline silica (quartz)

(Contd. on page 7)







## A.P. Green, Harbison-Walker and NARCO

Page 7/7

Printing date 10/01/2003 Reviewed on 07/25/2002

Trade name: GREENPATCH 421

(Contd. from page 6)

14464-46-1 crystalline silica (cristobalite)

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Patricia A. Kott 412-375-6712

· Creation date: 08/14/2000

USA